

To: Kamke, Sherry[Kamke.Sherry@epa.gov]
From: Restaino, Mark
Sent: Mon 3/14/2016 2:41:13 PM
Subject: Re: Doodle poll

I have not used either of those programs. My wife has used survey monkey and she says it is pretty easy.

-Mark

From: Kamke, Sherry
Sent: Monday, March 14, 2016 9:16 AM
To: Restaino, Mark
Subject: Doodle poll

Mark,

Have you used Doodle poll before?

Survey monkey?

From: Egan, Robert
Sent: Monday, March 14, 2016 9:16 AM
To: Kamke, Sherry <Kamke.Sherry@epa.gov>
Subject: RE: Tower Standard Site Investigation Work Plan (Rev 0)

I do not. I think I recall someone, maybe John, using it a while back. Must be a free service like survey monkey but IT should probably be asked if it's OK to use.

Maybe Mark has used it?

Bob Egan

Corrective Action Manager

Underground Storage Tanks Section

RCRA Branch

EPA Region 5

(312) 886-6212

(312) 692-2911 (fax)

From: Kamke, Sherry

Sent: Monday, March 14, 2016 9:13 AM

To: Egan, Robert <egan.robert@epa.gov>

Subject: RE: Tower Standard Site Investigation Work Plan (Rev 0)

John Robinson has now asked me to set up the larger meeting using Doodle poll. Do you know how to set up a Doodle poll?

From: Egan, Robert

Sent: Monday, March 14, 2016 9:11 AM

To: Kamke, Sherry <Kamke.Sherry@epa.gov>

Subject: RE: Tower Standard Site Investigation Work Plan (Rev 0)

Yes, but I wanted to send to LDF first with a separate message.

Bob Egan

Corrective Action Manager

Underground Storage Tanks Section

RCRA Branch

EPA Region 5

(312) 886-6212

(312) 692-2911 (fax)

From: Kamke, Sherry

Sent: Monday, March 14, 2016 9:10 AM
To: Egan, Robert <egan.robert@epa.gov>
Subject: RE: Tower Standard Site Investigation Work Plan (Rev 0)

Bob,

Will you similarly share with WDNR?

From: Egan, Robert
Sent: Monday, March 14, 2016 8:54 AM
To: KHanson@ldftribe.com
Cc: Kamke, Sherry <Kamke.Sherry@epa.gov>
Subject: FW: Tower Standard Site Investigation Work Plan (Rev 0)

Kristen,

Here is the draft work plan. Please review as soon as you can. I will need to get comments back to BERS this week.

Since the cross sections are not yet completed, I view the soil boring locations as changeable based on further review. For the VI samples, they have included all the locations, but we may remove some of those.

It might be easiest to have a call so we can both discuss any comments before they are sent. Once you have a chance to look at the document, let me know what days/times are good for you.

Thanks you.

Bob

Bob Egan

Corrective Action Manager

Underground Storage Tanks Section

RCRA Branch

EPA Region 5

(312) 886-6212

(312) 692-2911 (fax)

From: Faust, Matt [<mailto:mfaust@bristol-companies.com>]

Sent: Friday, March 11, 2016 5:30 PM

To: Egan, Robert <egan.robert@epa.gov>

Cc: Worley, Ray <Worley.ray@epa.gov>; Ruth, Scott <sruth@bristol-companies.com>

Subject: Tower Standard Site Investigation Work Plan (Rev 0)

PLEASE NOTE THE EPA AND CONTRACTORS ARE RECEIVING THIS EMAIL

Bob,

Attached for your review you should find the draft version of the Tower Standard Site Investigation Work Plan.

--Matt

Matt Faust, P.G.

Project Manager/Geologist

Bristol Environmental Remediation Services, LLC

111 W. 16th Avenue, Third Floor

Anchorage, AK 99501-5109

Phone : (907) 743-9346

FAX : (907) 563-6713

mfaust@bristol-companies.com

<http://www.bristol-companies.com/>

CONFIDENTIAL NOTICE: This document is for the sole purpose of the intended recipient(s) and may contain confidential and privileged information. Any unauthorized review, use, disclosure, or distribution is

prohibited. If you are not the intended recipient, please contact the sender and destroy all copies of the original document.
